STARTRANS BUS | Candidate II





PASSENGER COMFORT AND CONVENIENCE.

The Candidate II is one of the most spacious shuttle buses, featuring a wide entry door, deep steps, generous aisle space, and ample headroom for easy movement. Large windows provide seated passengers with clear views, ensuring comfort and convenience throughout the ride.

PASSENGERS

BUS LENGTH

BUS CHASSIS

WHEELCHAIR



6111111



E

Up to 16

20' - 22'


Ford E350

Side Access

8 passenger + 2 wheelchair + driver









10 passenger w/rear luggage + driver





14 passenger + driver





Length	20'
Wheelbase	138"
Chassis	Ford E350
Engine	7.3L Gas
GVWR	11,500 lb.
Passenger Capacity*	14
Overall Width	84"
Overall Height	112"
Interior Width	81"
Interior Height	77"
Ground to Int. Floor	30.75"
Ground to 1st Step	11.5"
Step Riser	9.75"
Step Tread	9.5"
Step Width	35.75"
Entry Door Clear Opening w/One Grab Rail	31"
Entry Door Clear Opening w/Two Grab Rails	30"

 $^{^{\}star}$ All passenger capacities are references and subject to final weight analysis

22'
138"
Ford E350
77.3L Gas
12,500 lb.
16
84"
113"
81"
77"
30.75"
11.5"
9.75"
9.5"
35.75"
31"
30"













Standard Exterior Feature Highlights

- Fully welded aluminized steel cage construction with laminated sidewall structure meeting all applicable FMVSS requirements
- "Starview" drivers visibility window in front of entry door
- Electric actuated passenger entry door with full length glass
- 36" high x 36" wide high upper double T-Slider tempered safety glass windows with climate control tint
- Black powder coated steel rear bumper
- · Rear mud flaps
- Pre-painted white galvanized steel sidewalls and skirts
- One-piece seamless FRP (fiberglass reinforced plastic) roof
- Breakaway rearview mirrors with built-in convex
- Sealed LED stop, tail, and turn signal lights with reverse lights
- Exterior LED front and rear marker lights

Standard Interior Feature Highlights

- 81" interior width
- 76" interior floor to ceiling height
- Welded floor and wall seat track for flexible seating
- Black slip resistant floor covering
- 5/8" exterior grade plywood flooring
- Ceiling and rear wall fabric for sound abatement
- FRP (fiberglass reinforced plastic) sidewalls for ease of cleaning
- White step nosing at passenger entry door
- 1.25" left hand vertical passenger assist rail at entry door
- Intermotive FlexTech Electrical System
- LED Entry door step well lights
- LED driver and passenger area lighting
- Non-retractable seat belts

Popular Option Highlights

- Stainless steel wheel inserts
- Luggage storage areas (overhead luggage racks with reading lights, interior luggage racks, rear luggage area)
- Rear emergency door with window(s)
- Passenger area rear heat and air conditioning
- Complete rubber flooring
- Passenger grab rails
- Padded vinyl or FRP walls and ceiling
- Fiberglass side walls and skirt
- Audio and video systems
- Mid back or high back seating
- ADA and FMVSS compliant wheel chair lifts and securement systems



Learn more at forestriverbus.com/ StarTrans/ Candidate-II

© 2025 Forest River Bus, LLC. All information contained on this website is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions, and Forest River Bus reserves the right to make changes without notice, including prices, colors, materials, equipment, and specifications, as well as the addition of new models and the discontinuance of models shown on this website. Therefore, please consult with your Forest River Bus dealer and confirm the existence of any material, design, or specifications before your purchase.